

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 2 | 2 | ("5856029").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 13:06 |
| 4 | 0 | 313/498,506,509.ccls. and "EL" and substrate and dielectric and "transparent electrode" and "patterned electrode" and ".mu.m" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:20 |
| 5 | 0 | 313/498,506,509.ccls. and "EL" and ".mu.m" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:20 |
| 6 | 0 | 313/498,506,509.ccls. and "EL" and ".mu.m." | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:20 |
| 3 | 16 | 313/498,506,509.ccls. and "EL" and substrate and dielectric and "transparent electrode" and "patterned electrode" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:20 |
| 7 | 559 | 313/498,506,509.ccls. and "EL" and ".mu.m" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:20 |
| 8 | 169 | 313/498,506,509.ccls. and "EL" and substrate and dielectric and "transparent electrode" and ".mu.m" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:21 |
| 9 | 31 | 313/498,506,509.ccls. and "EL" and substrate and "transparent electrode" and ".mu.m" with dielectric | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:21 |
| 10 | 295 | 313/498,506,509.ccls. and "EL" and substrate and dielectric and "transparent electrode" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:21 |
| 15 | 0 | 313/\$3.ccls. and "multi-layer dielectric" with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:21 |
| 17 | 9 | 313/\$3.ccls. and "multilayer dielectric" with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:21 |
| 18 | 0 | 313/\$3.ccls. and "multi layer dielectric" with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:22 |
| 19 | 327 | 313/509.ccls. and substrate and dielectric and electrode | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:22 |
| 21 | 618 | 313/509.ccls. | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:22 |
| 25 | 0 | 445/\$3.ccls. and substrate and electrode and mulit near3 dielectric | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:22 |
| 11 | 191 | 313/498,506,509.ccls. and "EL" and substrate and dielectric and "transparent electrode" and ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:22 |
| 12 | 9 | 313/498,506,509.ccls. and "EL" and substrate and "transparent electrode" and "multilayer dielectric" with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:22 |
| 29 | 0 | 313/498,506,509.ccls. and "EL" and substrate and (dielectric with (MOD or "coating and firing")) and "transparent electrode" and "patterned electrode" and ".mu.m" | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 13 | 9 | 313/\$3.ccls. and substrate and "multilayer dielectric" with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 31 | 0 | 445/24,25.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 32 | 175 | 445/24,25.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |

| | | | | |
|----|------|---|---|------------------|
| 14 | 98 | 313/498,506,509.ccls. and "EL" and substrate and "transparent electrode" and (dielectric or insulating) with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 33 | 468 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric and (MOD or process) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 35 | 103 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or process) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 16 | 9 | 313/498,506,509.ccls. and substrate and "multilayer dielectric" with ("mu.m" or micron or microns) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 38 | 1517 | 445/24,25.ccls. | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 39 | 550 | 427/66.ccls. | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:23 |
| 40 | 323 | 445/24,25.ccls. and (EL or "electroluminescent" or "electro-luminescent") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:24 |
| 42 | 164 | 427/66.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:24 |
| 45 | 0 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (calcine or calcination) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:24 |
| 46 | 0 | 427/66.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (calcine or calcination) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:24 |
| 47 | 0 | 445/24,25. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (calcine or calcination) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:24 |
| 49 | 2061 | 313/498,506,509.ccls. | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:24 |
| 51 | 921 | ("Self assembly" or "self-assembly") and (insulating or dielectric or insulator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 13:24 |
| 20 | 210 | 313/498,506,509.ccls. and substrate and electrode and dielectric with (plural or plurality or multi or multiple or multilayer\$3 or multi-layer\$3) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 22 | 2 | 445/\$3.ccls. and substrate and "transparent electrode" and "patterned electrode" and dielectric with (plural or plurality or multi or multiple or multilayer\$3 or multi-layer\$3) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 23 | 155 | 445/\$3.ccls. and substrate and electrode and dielectric with (plural or plurality or multi or multiple or multilayer\$3 or multi-layer\$3) and thickness | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 24 | 3 | 445/\$3.ccls. and substrate and electrode and multi near3 dielectric | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 60 | 0 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and electrode with pattern with stirpe | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 26 | 26 | 313/\$3.ccls. and substrate and electrode and multi near3 dielectric | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 27 | 175 | 445/\$3.ccls. and substrate and electrode and dielectric with (plural or plurality or multi or multiple or multilayer\$3 or multi-layer\$3) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 28 | 50 | 445/\$3.ccls. and EL and electrode near5 thickness | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |

| | | | | |
|----|-----|---|---|------------------|
| 30 | 2 | 445/24,25.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition" or (coating and firing)) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 34 | 17 | (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 36 | 11 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 37 | 6 | 427/66.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition" or (coating and firing)) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 41 | 21 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition" or "sol gel") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 43 | 5 | 445/24,25.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition" or "sol gel") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 44 | 11 | 427/66.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition" or "sol gel") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 48 | 1 | 445/24,25.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (calcine or calcination) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 50 | 11 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (MOD or "metal organic deposition") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 52 | 145 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and SrS with Ce | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 53 | 34 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and electrode with patterned with stripe | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:25 |
| 54 | 122 | ("Self assembly" or "self-assembly") and (insulating or dielectric or insulator) and (EL or "electro-luminescent" or "electroluminescent") | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 13:26 |
| 55 | 9 | (EL or "electro-luminescent" or "electroluminescent") and ("Self assembly" or "self-assembly") with (insulating or dielectric or insulator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 13:26 |
| 56 | 160 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and insulator with layer | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:26 |
| 57 | 51 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and electrode with pattern with stripe | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:26 |
| 58 | 25 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and dielectric with (perovskite or bismuth or "perovskite-relaxor") | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:26 |
| 59 | 145 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and (SrS with Ce) | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:26 |
| 61 | 32 | 313/498,506,509.ccls. and (EL or "electroluminescent" or "electro-luminescent") and insulator with layer with (nm or nanometer) | USPAT; US-PGPUB; DERWENT | 2004/02/23 14:04 |
| 62 | 2 | ("5736754").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 14:05 |
| 63 | 2 | ("6107735").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 14:05 |

| | | | | |
|----|----|-------------------------|---|------------------|
| 64 | 2 | ("5863679").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/02/23 14:08 |
| - | 9 | shirakawa near yukihiko | USPAT; US-PGPUB; DERWENT | 2004/02/23 13:06 |
| - | 7 | "257097" | USPAT; US-PGPUB; DERWENT | 2003/03/13 09:42 |
| - | 2 | ("4547703").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/13 09:42 |
| - | 1 | "4416933".PN. | USPAT; US-PGPUB | 2003/03/13 09:42 |
| - | 1 | "4387141".PN. | USPAT; US-PGPUB | 2003/03/13 09:42 |
| - | 1 | "4225653".PN. | USPAT; US-PGPUB | 2003/03/13 09:42 |
| - | 1 | "4132919".PN. | USPAT; US-PGPUB | 2003/03/13 09:42 |
| - | 1 | "3129108".PN. | USPAT; US-PGPUB | 2003/03/13 09:42 |
| - | 1 | "4416933".PN. | USPAT; US-PGPUB | 2003/03/13 09:42 |
| - | 11 | "230296" | USPAT; US-PGPUB; DERWENT | 2003/03/13 13:11 |
| - | 2 | ("5736754").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/14 14:16 |
| - | 2 | ("6107735").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/14 14:16 |
| - | 27 | "96407" | USPAT; US-PGPUB; DERWENT | 2003/03/14 15:05 |
| - | 2 | ("5736754").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/14 15:19 |
| - | 2 | ("4188565").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/14 15:46 |
| - | 2 | ("6107735").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/14 15:54 |
| - | 2 | ("5432015").PN. | USPAT; US-PGPUB; DERWENT | 2003/03/14 15:54 |
| - | 1 | "4870322".PN. | USPAT; US-PGPUB | 2003/09/17 10:16 |
| - | 1 | "5336965".PN. | USPAT; US-PGPUB | 2003/09/17 10:19 |
| - | 2 | ("6004686").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 12:29 |
| - | 2 | ("5863679").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 12:30 |
| - | 2 | ("5976613").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 12:31 |

| | | | | |
|---|---|--|---|------------------|
| - | 2 | ("5634835").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 12:32 |
| - | 2 | ("4684353").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 12:32 |
| - | 2 | ("4513023").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 12:32 |
| - | 2 | ("5863679").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 13:13 |
| - | 2 | ("5432015").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 13:42 |
| - | 0 | (""selfassembly"and(dielectricorinsulatingorinsulator)").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 13:43 |
| - | 1 | ("6577059").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 13:59 |
| - | 2 | ("5432015").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/09/17 13:59 |